Nurses Content
Downloaded from nursescontent.com

Antiseptics and Disinfectants

Pharmacology

Types, classification, mechanisms of action, uses, precautions and nursing responsibilities related to antiseptics and disinfectants.

For educational purposes only.

CHAPTER 23 / PHARMACOLOGY 23. Antiseptics and Disinfectants

1. Definitions

An antiseptic is a chemical preparation used on living tissue to reduce microorganisms. A disinfectant is used on inanimate surfaces or equipment to eliminate many or all pathogenic microorganisms, depending on its level and contact conditions. Sterilization destroys all viable microorganisms, including bacterial spores. Cleaning removes dirt and organic material and is essential before most disinfection or sterilization procedures.

2. Differences between antiseptics, disinfectants and sterilants

Feature	Antiseptic	Disinfectant	Sterilant
Application	Skin or selected living tissue	Inanimate surfaces and devices	Approved equipment or materials
Goal	Reduce microbial burden	Eliminate specified microorganisms	Eliminate all viable microorganisms
Examples	Alcohol skin prep, chlorhexidine	Approved hypochlorite surface product	Validated steam or chemical sterilization process
Safety	Tissue-compatible preparation	May be toxic to tissue	Strict specialist process and compatibility requirements

A chemical may be an antiseptic or disinfectant depending on formulation and concentration. Never use an environmental surface product on skin merely because its active ingredient resembles a skin preparation.

NURSE'S CONTENT / PHARMACOLOGY 71

B.SC. NURSING / STUDY NOTES

3. Classification and mechanisms

Agent	Mechanism	Uses and precautions
Alcohols (ethanol, isopropanol)	Protein denaturation and membrane disruption	Hand rubs, selected skin/equipment preparations; flammable, not sporicidal, allow drying.
Chlorhexidine	Disrupts microbial membranes	Approved skin and hand preparations; avoid eyes, middle ear and neural tissue; rare serious allergy.
Iodophors (povidone-iodine)	Oxidative effects and protein disruption	Selected skin/mucosal preparation depending on product; thyroid/neonatal considerations.

Nurses Content
Downloaded from nursescontent.com

Chlorine compounds (sodium hypochlorite)	Oxidative damage	Environmental surfaces and spill protocols; corrosive, affected by organic material, never mix with acids or ammonia.
Hydrogen peroxide / peracetic acid	Oxidative damage	Approved surfaces or equipment processing; concentration and material compatibility matter.
Quaternary ammonium compounds	Membrane disruption	Selected low-level surface disinfection; activity against spores and some organisms is limited.
Glutaraldehyde / OPA	Protein cross-linking or related chemical effects	Specialist high-level device disinfection; toxic exposures, ventilation and rinsing requirements.
Phenolic compounds	Membrane and protein effects	Selected environmental products; follow setting-specific restrictions.

4. Levels of disinfection and Spaulding classification

Device category	Example	Required processing concept
Critical	Surgical instrument entering sterile tissue	Sterilization using validated process.
Semicritical	Device contacting mucous membranes	At least high-level disinfection where appropriate; sterilize when indicated/possible.
Noncritical	BP cuff contacting intact skin	Cleaning and appropriate low-level disinfection.

High-level disinfection eliminates many microorganisms but may not reliably destroy large numbers of bacterial spores. Low-level disinfection targets selected vegetative bacteria, viruses and fungi. Device instructions and institutional infection-control procedures take precedence [12].

5. Factors affecting effectiveness

- Concentration and contact or wet time specified by the manufacturer.
- Organic material, biofilm and prior cleaning.
- Microbial species and resistance, including spores.
- Temperature, pH, surface compatibility and complete coverage.

NURSE'S CONTENT / PHARMACOLOGY 72

B.SC. NURSING / STUDY NOTES

- Correct dilution, storage, expiry and solution stability.

Increasing concentration beyond the approved level does not guarantee better results and can damage articles or expose staff to toxic substances.

6. Dilution calculations and safe handling

Use the manufacturer's approved concentration and institutional spill protocol. For a fictional arithmetic example, 5% stock diluted to 0.5% final concentration has a tenfold dilution: 100 mL stock made up to 1,000 mL final

Nurses Content
Downloaded from nursescontent.com

volume. This is a maths illustration, not a universal disinfectant prescription. Check actual stock strength, active ingredient definition and required contact time; percentages for different products may not be comparable. Wear appropriate PPE, prepare in a suitable ventilated area, label the container and never mix incompatible cleaners. Do not spray chemicals onto patients.

7. Hand hygiene and skin preparation

Alcohol-based hand rub is suitable in many clinical situations; soap and water are necessary for visibly dirty hands and other specified situations. Perform hand hygiene at the appropriate moments, including before aseptic procedures and after body-fluid exposure risk. For injection or invasive procedure skin preparation, use the approved agent and application technique; allow drying as required. Assess allergy and neonatal or mucosal precautions. Gloves do not replace hand hygiene. Avoid routine chemical application to open wounds without a specific indication.

8. Nursing responsibilities

Identify the object or tissue, choose the correct product and check its instructions. Clean equipment and maintain prescribed contact time. Use gloves and eye protection when required; segregate contaminated articles. Document or log processing where indicated. Report spills, exposure, damaged devices, incorrect dilutions and infection-control breaches. Keep chemicals in labelled containers away from food, medicines and children.

9. Examination questions

Long answer questions

1. 1. Define and classify antiseptics and disinfectants with mechanisms and uses.
2. 2. Explain levels of disinfection, Spaulding classification and nursing precautions.

Short answer questions

- Alcohols; chlorhexidine; hypochlorite; sterilization versus disinfection; contact time; factors affecting effectiveness.

Very short answer questions

- Which process destroys bacterial spores as well as other viable microorganisms? - Sterilization.
- Where are antiseptics intended for use? - Living tissue, in approved formulations.
- Should bleach be mixed with ammonia? - No.

10. Quick revision

Clean before processing. Match device risk category to reprocessing method. Follow product concentration, contact time and compatibility instructions. Distinguish skin preparations from surface disinfectants and never mix chemicals casually.

Conclusion

Antiseptic and disinfectant safety depends on selecting the right formulation for the right target, following validated procedures and preventing occupational and patient exposure.

NURSE'S CONTENT / PHARMACOLOGY 73

B.SC. NURSING / STUDY NOTES

Nurses Content
Downloaded from nursescontent.com

Practice questions

Choose one best answer. The answer key and explanations follow the questions.

1. Which term describes a chemical preparation intended to reduce microorganisms on living tissue?

A. Antiseptic

B. Disinfectant

C. Sterilant

D. Environmental detergent

2. How should a reusable surgical instrument entering sterile tissue be processed?

A. Cleaning with detergent alone

B. Sterilization using a validated process

C. Low-level disinfection alone

D. High-level disinfection alone

3. How do alcohol antiseptics act on microorganisms?

A. Inhibition of fungal cell wall glucan synthesis

B. Blockade of bacterial DNA gyrase

C. Protein denaturation and membrane disruption

D. Inhibition of bacterial folate synthesis

Nurses Content
Downloaded from nursescontent.com

Answer key and explanations

1. A - Antiseptic

Antiseptics are intended for living tissue; product formulation and use must be appropriate.

2. B - Sterilization using a validated process

Critical instruments entering sterile tissue require validated sterilization.

3. C - Protein denaturation and membrane disruption

Alcohols act by denaturing proteins and disrupting microbial membranes.

Source and attribution

Online chapter: https://nursescontent.com/learn/pharmacology/unit-23-antiseptics-and-disinfectants/

Downloaded from Nurses Content. Branding identifies the delivery website. Original author credits, third-party licences and applicable rights remain unchanged.