Nurses Content
Downloaded from nursescontent.com

Vulnerability to infection or worsening infection Aminoglycoside safety

Pharmacology-related Cases | Focused diagnosis-based template

For educational purposes only.

Fictional educational example. Individualize using verified patient findings, authorized treatment and current local protocols. No real patient record or observed outcome is claimed.

Clinical assessment

Subjective: Asks about monitoring and reports a new hearing concern.

Objective findings and required checks: Renal and hearing-related assessment is needed; treatment timing and exposure are reviewed.

Physical examination and investigations: Review renal function, fluid status, drug levels when required and other nephrotoxic medicines.

Supply actual values, units, timing and trends during supervised application. Do not invent missing clinical data.

Clinical focus and pathophysiology

Aminoglycoside safety: Aminoglycosides can treat selected serious infections but may injure kidneys or auditory/vestibular function.

Medical / surgical management

Report hearing, balance or renal changes promptly and coordinate dose/interval review with the prescribing team.

Nurses Content For educational purposes only. 1 / 6

Nurses Content
Downloaded from nursescontent.com

Illustrative drug and treatment study

Medicine / treatment	Purpose	Nursing checks
Prescribed aminoglycoside	Treat a susceptible infection	Verify weight/renal-based order, timing, levels and ototoxicity/nephrotoxicity monitoring
medicine review	Avoid unnecessary interacting toxicity risks	Seek pharmacist/prescriber advice.

Treatment examples are not a prescription. Verify the authorized product, dose, route, timing, contraindications and current local product information.

Nurses Content For educational purposes only. 2 / 6

Nurses Content
Downloaded from nursescontent.com

Focused nursing-problem template

Nursing diagnoses use original clinical problem wording. They are not the licensed NANDA-I classification. Verify any formal label or code against your institution's licensed current edition; select actual or risk diagnoses only when supported by assessment.

Context task: Establish the immediate clinical priorities and verify the baseline before assuming a diagnosis.

Set individualized measurable targets and an exact review time. Select actual or risk statements only when supported by assessment.

Assessment: subjective / objective	Nursing diagnosis: original problem wording	Short- and longer-term goals	Nursing interventions with rationale	Evaluation
Ask: Ask about exposure, wound symptoms and recent invasive devices. Assess: Inspect relevant sites and monitor systemic findings and investigation trends.	Vulnerability to infection or worsening infection. Possible factors: disrupted barriers, exposure or reduced host defence. Validate against the patient's assessment.	Short-term: At the next patient-specific reassessment: Aseptic care is maintained and any new signs of infection are escalated promptly. Longer-term: Before the clinically approved transition or agreed follow-up: Demonstrates relevant hygiene and explains the infection-prevention plan.	1. Use hand hygiene and risk-based standard or transmission precautions. Rationale: Interrupting transmission protects the patient, staff and other patients. 2. Review invasive device need with the team and maintain indicated aseptic care. Rationale: Unnecessary devices and barrier breaks increase infection exposure. 3. Monitor for systemic deterioration and administer prescribed antimicrobials on schedule. Rationale: Early escalation and timely indicated treatment reduce avoidable harm. 4. Report hearing, balance or renal changes promptly and coordinate dose/interval review with the prescribing team. Rationale: Aminoglycosides can treat selected serious infections but may injure kidneys or auditory/vestibular function. The condition-specific plan addresses the underlying problem while response is monitored.	Record the baseline and reassessed finding, the time and whether this goal is met, partly met or not met. If not met, reassess causes and revise or escalate. Do not record an unobserved improvement.

Nurses Content For educational purposes only. 3 / 6

Nurses Content
Downloaded from nursescontent.com

Apply this template

Complete with verified data: assessment cues; supported actual problem or risk; measurable outcome and review time; selected authorized interventions and rationale; observed response and next action.

Subjective / objective cues: _____

Patient-specific target and review time: _____

Evaluation evidence and next action: _____

Nurses Content For educational purposes only. 4 / 6

Nurses Content
Downloaded from nursescontent.com

Health education and continuing care

Teach symptom reporting, correct follow-up testing and avoiding unapproved nephrotoxic medicines.

Transition only after clinical readiness is confirmed. Reconcile medicines, check access and caregiver support, and document who will review the patient and when.

Urgent warning signs

New hearing loss, vertigo, markedly reduced urine or severe allergic reaction needs prompt clinical review.

Evaluation and conclusion

For each goal, document met, partly met or not met using observed evidence and the review time. Reassess and revise if progress is inadequate. Individual assessment, prioritized care and coordinated review guide this topic.

Quick Revision

- Aminoglycosides can treat selected serious infections but may injure kidneys or auditory/vestibular function.
- Priority concerns: Vulnerability to infection or worsening infection.
- New hearing loss, vertigo, markedly reduced urine or severe allergic reaction needs prompt clinical review.
- Teach symptom reporting, correct follow-up testing and avoiding unapproved nephrotoxic medicines.

Exam / viva: What assessment evidence supports this problem, and what measurable result would demonstrate improvement?

References

Nursing Fundamentals, 2e - Ernstmeyer & Christman (editors), Open RN / WisTech Open, 2024
https://wtcs.pressbooks.pub/nursingfundamentals/

Nursing Pharmacology, 2e - Ernstmeyer & Christman (editors), Open RN / WisTech Open, 2023
https://wtcs.pressbooks.pub/pharmacology2e/

Nurses Content For educational purposes only. 5 / 6

Nurses Content
Downloaded from nursescontent.com

B.Sc. Nursing curriculum and regulatory notifications - Indian Nursing Council

https://www.indiannursingcouncil.org/gazette-notification

Original cases and care-plan wording by Nurses Content. Linked sources support further study; source terms and local clinical requirements apply. Prepared 23 November 2026. Not independently clinically peer reviewed.

Rights and reuse

Delivered by Nurses Content. Copyright claims apply only to original material owned by its authors. Medical facts, statutory exceptions and third-party/open licence rights remain unaffected. See the website's /policies/reuse/ page for terms.

Nurses Content For educational purposes only. 6 / 6