Nurses Content
Downloaded from nursescontent.com

Immediate safety needs during altered mood, cognition or behaviour Therapeutic crisis intervention

Mental Health Nursing | Focused diagnosis-based template

For educational purposes only.

Fictional educational example. Individualize using verified patient findings, authorized treatment and current local protocols. No real patient record or observed outcome is claimed.

Clinical assessment

Subjective: Feels unable to cope and unsure what to do next.

Objective findings and required checks: Distress with reduced problem-solving; direct safety assessment is required.

Physical examination and investigations: Assess immediate needs, safety, supports, strengths and practical barriers.

Supply actual values, units, timing and trends during supervised application. Do not invent missing clinical data.

Clinical focus and pathophysiology

Therapeutic crisis intervention: A crisis occurs when immediate demands exceed available coping resources.

Medical / surgical management

Establish safety, listen, prioritize one manageable problem and arrange appropriate professional and social support.

Illustrative drug and treatment study

Nurses Content For educational purposes only. 1 / 6

Nurses Content
Downloaded from nursescontent.com

Medicine / treatment	Purpose	Nursing checks
No routine medicine for every crisis	Treatment follows the clinical assessment	Avoid implying that distress alone requires medication
prescribed symptom treatment if indicated	Treat a defined condition	Monitor response and safety.

Treatment examples are not a prescription. Verify the authorized product, dose, route, timing, contraindications and current local product information.

Nurses Content For educational purposes only. 2 / 6

Nurses Content
Downloaded from nursescontent.com

Focused nursing-problem template

Nursing diagnoses use original clinical problem wording. They are not the licensed NANDA-I classification. Verify any formal label or code against your institution's licensed current edition; select actual or risk diagnoses only when supported by assessment.

Context task: Establish the immediate clinical priorities and verify the baseline before assuming a diagnosis.

Set individualized measurable targets and an exact review time. Select actual or risk statements only when supported by assessment.

Assessment: subjective / objective	Nursing diagnosis: original problem wording	Short- and longer-term goals	Nursing interventions with rationale	Evaluation
Ask: Ask directly about safety, self-harm, aggression and access to harmful means. Assess: Assess risk, observation needs and environmental hazards collaboratively.	Immediate safety needs during altered mood, cognition or behaviour. Possible factors: reduced judgment, severe distress or loss of control. Validate against the patient's assessment.	Short-term: At the next patient-specific reassessment: Immediate risks are addressed using the least restrictive appropriate care plan. Longer-term: Before the clinically approved transition or agreed follow-up: A collaborative safety and follow-up plan is documented before transition.	1. Escalate imminent danger immediately and maintain observation according to risk and local policy. Rationale: Timely support protects life and prevents unobserved deterioration. 2. Use de-escalation, respectful communication and proportionate environmental safeguards. Rationale: Dignity and reduced stimulation can support safer engagement. 3. Review risk with the multidisciplinary team and document changes and handover. Rationale: Risk is dynamic and requires continuity across staff and settings. 4. Establish safety, listen, prioritize one manageable problem and arrange appropriate professional and social support. Rationale: A crisis occurs when immediate demands exceed available coping resources. The condition-specific plan addresses the underlying problem while response is monitored.	Record the baseline and reassessed finding, the time and whether this goal is met, partly met or not met. If not met, reassess causes and revise or escalate. Do not record an unobserved improvement.

Nurses Content For educational purposes only. 3 / 6

Nurses Content
Downloaded from nursescontent.com

Apply this template

Complete with verified data: assessment cues; supported actual problem or risk; measurable outcome and review time; selected authorized interventions and rationale; observed response and next action.

Subjective / objective cues: _____

Patient-specific target and review time: _____

Evaluation evidence and next action: _____

Nurses Content For educational purposes only. 4 / 6

Nurses Content
Downloaded from nursescontent.com

Health education and continuing care

Create a short written coping and contact plan, identify support and arrange timely follow-up.

Transition only after clinical readiness is confirmed. Reconcile medicines, check access and caregiver support, and document who will review the patient and when.

Urgent warning signs

Imminent danger, severe confusion, intoxication complications or inability to remain safe needs urgent assessment.

Evaluation and conclusion

For each goal, document met, partly met or not met using observed evidence and the review time. Reassess and revise if progress is inadequate. Individual assessment, prioritized care and coordinated review guide this topic.

Quick Revision

- A crisis occurs when immediate demands exceed available coping resources.
- Priority concerns: Immediate safety needs during altered mood, cognition or behaviour.
- Imminent danger, severe confusion, intoxication complications or inability to remain safe needs urgent assessment.
- Create a short written coping and contact plan, identify support and arrange timely follow-up.

Exam / viva: What assessment evidence supports this problem, and what measurable result would demonstrate improvement?

References

Nursing Fundamentals, 2e - Ernstmeyer & Christman (editors), Open RN / WisTech Open, 2024
https://wtcs.pressbooks.pub/nursingfundamentals/

Nursing Mental Health and Community Concepts, 2e - Open RN / WisTech Open, 2025
https://wtcs.pressbooks.pub/nursingmhcc/

Nurses Content For educational purposes only. 5 / 6

Nurses Content
Downloaded from nursescontent.com

Nursing Pharmacology, 2e - Ernstmeyer & Christman (editors), Open RN / WisTech Open, 2023
https://wtcs.pressbooks.pub/pharmacology2e/

B.Sc. Nursing curriculum and regulatory notifications - Indian Nursing Council
https://www.indiannursingcouncil.org/gazette-notification

Original cases and care-plan wording by Nurses Content. Linked sources support further study; source terms and local clinical requirements apply. Prepared 23 November 2026. Not independently clinically peer reviewed.

Rights and reuse

Delivered by Nurses Content. Copyright claims apply only to original material owned by its authors. Medical facts, statutory exceptions and third-party/open licence rights remain unaffected. See the website's /policies/reuse/ page for terms.

Nurses Content For educational purposes only. 6 / 6